

This listing of claims will replace all prior versions of claims in the application:

**Listing of Claims:** Please amend the claims as follows:

We claim:

**Claim 1. (Previously Presented)** An isolated mammalian epididymis-specific receptor polypeptide which is

- (a) a polypeptide encoded by a polynucleotide comprising the sequence of SEQ ID NO:1;
  - (b) a polypeptide having at least 90% sequence similarity to the amino acid sequence set forth in SEQ ID NO: 2 wherein said polypeptide is encoded by a polynucleotide which hybridizes to the complete complement of SEQ ID NO:1 under hybridization conditions comprising hybridizing in 5x Denhardt's solution, 4x SET (200 mM Tris (pH 8.0), 20 mM EDTA, 0.6 M NaCl), 0.1% sodium pyrophosphate and 25 mM sodium phosphate buffer (pH 7.0) for 72 hours at 65°C then washed in 0.1% SDS, 2x SSC (300 mM sodium chloride, 30 mM sodium<sub>3</sub> citrate) at a temperature of 65°C;
  - (c) a polypeptide comprising the amino acid sequence shown in SEQ ID NO: 2; or
  - (d) a polypeptide consisting of the amino acid sequence shown in SEQ ID NO: 2,
- wherein each of the polypeptides of (a)-(d) is immunogenic, is intracellularly coupled to a G protein and has G-protein coupled receptor signal transduction activity.

**Claim 2. (Previously Presented)** The polypeptide of claim 1 which comprises an amino acid sequence for at least one hydrophilic region of said receptor.

**Claim 3. (Previously Presented)** The polypeptide of claim 2 wherein said hydrophilic region comprises an extracellular domain of said receptor.

**Claim 4. (Previously Presented)** An isolated polypeptide having a polypeptide sequence which is SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 5, SEQ ID NO: 6 or SEQ ID NO: 7.

**Claim 5. (Previously Presented)** A fragment of a polypeptide of claim 1 set forth in SEQ ID

NO: 3, SEQ ID NO: 4, SEQ ID NO: 5, SEQ ID NO: 6 or SEQ ID NO: 7.

**Claim 6. (Withdrawn)** An isolated DNA sequence which codes for the receptor polypeptide or fragment thereof having the same biological activity and/or immunogenicity, according to claim 1.

**Claim 7. (Withdrawn)** An isolated DNA sequence which codes for a polypeptide of claim 3.

**Claim 8. (Withdrawn)** An isolated DNA sequence which codes for a polypeptide of claim 4.

**Claim 9. (Withdrawn)** An isolated DNA sequence according to claim 6, chosen from  
a) the nucleotide sequence shown in SEQ ID NO: 1,  
b) the sequence of nucleotides 1 to 3,114 of SEQ ID NO: 1,  
c) a sequence homologous to the sequence represented by SEQ ID NO: 1 having a degree of homology of at least 70% and  
d) a syngenic or complementary sequence of a sequence according to a), b) or c), or a fragment thereof, where said sequence codes for a polypeptide having the same biological activity and/or immunogenicity as said polypeptide of claim 1.

**Claim 10. (Withdrawn)** A vector molecule, comprising at least one of the DNA sequence according to claim 2 as an insert, while maintaining the ability to replicate in a suitable host cell.

**Claim 11. (Withdrawn)** A vector molecule according to claim 10, wherein said DNA sequence is inserted in said vector, in a manner such that expression thereof can take place in a suitable host organism.

**Claim 12. (Withdrawn)** A prokaryotic or eukaryotic host cell transformed with a vector molecule according to claim 10.

**Claim 13. (Withdrawn)** A prokaryotic or eukaryotic host cell transformed with a vector molecule according to claim 11.

**Claim 14. (Withdrawn)** A process for the preparation of an isolated mammalian epididymis-specific receptor polypeptide, which has an amino acid shown in SEQ ID NO: 2 or a derivative or fragment thereof having at least one biological activity and/or immunogenicity of said polypeptide, said process comprising culturing a host cell according to claim 12 in a culture batch under conditions which allow expression of the DNA sequence, and obtaining the expression product from the culture batch.

**Claim 15. (Cancelled)**

**Claim 16. (Cancelled)**

**Claim 17. (Previously Presented)** A pharmaceutical composition comprising a polypeptide of claim 1 together with a pharmaceutically acceptable carrier or diluent.

**Claim 18. (Cancelled)**

**Claim 19. (Withdrawn)** A pharmaceutical composition which comprises, as an active component, at least one nucleotide sequence which hybridizes with a nucleotide sequence according to claim 6.

**Claim 20. (Withdrawn)** A pharmaceutical composition according to claim 19, further comprising a detectable marker.

**Claim 21. (Previously Presented)** A composition comprising a polypeptide of claim 4 together with a pharmaceutically acceptable carrier or diluent.

**Claim 22. (Withdrawn)** A method of treating a male reproductive disorder or a contraceptive method for male mammals, said method comprising administering to a mammal in need thereof a pharmaceutical composition according to claim 17.

**Claim 23. (Withdrawn)** A method of isolating a ligand specific for an epididymis-specific receptor comprising incubating the epididymis-specific receptor polypeptide of claim 1 with a substance suspected to be a ligand of said receptor and detecting binding of said receptor to said ligand.

**Claim 24. (Withdrawn)** A method according to claim 23 wherein said ligand is an agonist of said epididymis-specific receptor.

**Claim 25. (Withdrawn)** A method according claim 23 wherein said ligand is an antagonist of said epididymis-specific receptor.

**Claim 26. (Withdrawn)** A method of treating infertility in a male mammal comprising administering an agonist of an epididymis-specific receptor polypeptide of claim 1 to said male mammal.

**Claim 27. (Withdrawn)** A contraceptive method for male mammals comprising administering an antagonist of an epididymis-specific receptor to said male mammal wherein said antagonist comprises a polypeptide derivative or fragment of claim 1.

**Claim 28. (Withdrawn)** A method of treating infertility in a male mammal comprising administering an agonist of an epididymis-specific receptor of claim 1 to said male mammal.

**Claim 29. (Withdrawn)** A contraceptive method for male mammals comprising administering an antagonist of an epididymis-specific receptor of claim 1 to said male mammal.

**Claim 30. (Withdrawn)** A method of diagnosing infertility in a male comprising measuring from said male to an epididymis-specific receptor polypeptide of claim 1.

**Claim 31. (Cancelled)**

**Claim 32. (Cancelled)**

**Claim 33. (Previously Presented)** The polypeptide of claim 1 which has the immunogenicity of said mammalian epididymis-specific receptor polypeptide which has the amino acid sequence shown in SEQ ID NO: 2.

**Claim 34. (Previously Presented)** An isolated mammalian epididymis-specific receptor polypeptide which is a polypeptide having at least 98% sequence similarity to the amino acid sequence set forth in SEQ ID NO: 2 wherein said polypeptide is encoded by a polynucleotide which hybridizes to the complete complement of SEQ ID NO: 1 under hybridization conditions comprising hybridizing in 5x Denhardt's solution, 4x SET (200 mM Tris (pH 8.0), 20 mM EDTA, 0.6 M NaCl), 0.1% sodium pyrophosphate and 25 mM sodium phosphate buffer (pH 7.0) for 72 hours at 65°C then washed in 0.1% SDS, 2x SSC (300 mM sodium chloride, 30 mM sodium<sub>3</sub> citrate) at a temperature of 65°C, wherein said polypeptides is immunogenic, is intracellularly coupled to a G protein and has G-protein coupled receptor signal transduction activity.